

Laboratory Accreditation Programmes

Schedule to
CERTIFICATE OF ACCREDITATION

| | |
|--|------------------------|
| Chemsafety Ltd | Client No. 9360 |
| PO Box 8141, Riccarton, Christchurch, 8440 2B, 303 Blenheim Road, , Upper Riccarton, Christchurch, 8041 Telephone 03 366-3700 www.chemsafety.co.nz | |
| Authorised Representative Mrs Livia Fioravanti Laboratory Manager Programme Chemical Testing Laboratory Accreditation Number 1328 Initial Accreditation Date 17 June 2019 | |
| Conformance Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories | |
| Testing Services Summary 2.64 Asbestos | |
| Key Technical Personnel Mrs Livia Fioravanti 2.64 | |

| | | |
|--|-----------------------------|-------------|
| Authorised: General Manager <i>P. Bam</i> | Issue 1 Date: 17/06/19 | Page 1 of 2 |
|--|-----------------------------|-------------|


Schedule to
CERTIFICATE OF ACCREDITATIONChemsafety Ltd
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 1328

2.64 Asbestos**(a) Identification**

Bulk identification of asbestos using polarised light microscopy

AS 4964:2004 Method for the Qualitative Identification of Asbestos in Bulk Samples

Authorised:
General Manager

Issue 1

Date: 17/06/19

Page 2 of 2