

Laboratory Accreditation Programmes

 Schedule to
CERTIFICATE OF ACCREDITATION

Chemsafety Ltd

Client No. 9360

 PO Box 8141, Riccarton, Christchurch, 8440
 2B, 303 Blenheim Road, Upper Riccarton, Christchurch, 8041

Telephone 03 366-3700
www.chemsafety.co.nz
Authorised Representative

 Mrs Livia Fioravanti
 Laboratory Manager

Programme

Chemical Testing Laboratory

Accreditation Number 1328
Initial Accreditation Date 17 June 2019
Conformance Standard

ISO/IEC 17025:2017

General requirements for the competence of testing and calibration laboratories


Testing Services Summary

2.64 Asbestos

Key Technical Personnel

Mr Dwayne Bennett	2.64(b)
Mr Tony Bird	2.64(b)
Mrs Livia Fioravanti	2.64(a)(b)

 Authorised:
 General Manager



Issue 2

Date: 18/03/20

Page 1 of 2

Schedule to

CERTIFICATE OF ACCREDITATION

Chemsafety Ltd
Chemical Testing Laboratory
SCOPE OF ACCREDITATION

Accreditation Number 1328

2.64 Asbestos**(a) Identification**

Bulk identification of asbestos using polarised light microscopy


AS 4964:2004 Method for the Qualitative Identification of Asbestos in Bulk Samples

(b) Fibre Counts

Determination of airborne asbestos fibre counts on membrane filters

NOSHC:3003: National Occupational Health and Safety Commission Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos 2nd Edition [NOSHC:3003 (2005)]

Authorised:
General Manager



Issue 2

Date: 18/03/20

Page 2 of 2